

636.4  
P41  
1998

ICIDAL POTENTIAL OF PSYCHIC NUT (Jatropha  
cas L.) MIXED WITH HOT PEPPER (Capsicum  
annum L.) EXTRACT ON PECHAY

RESEARCH STUDY

Applied Research IV

MICHAEL T. PERIDO

CAVITE STATE UNIVERSITY  
Indang, Cavite

April 1998



**C/INSECTICIDAL POTENTIAL OF PSYCHIC NUT (*Jatropha curcas* L.) or  
TUBANG- BAKOD MIXED WITH HOT PEPPER (*Capsicum annum* L.)  
EXTRACT ON PECHAY**

**A Research Study Submitted to the Faculty  
of Laboratory School, College of Education  
of Cavite State University  
Indang, Cavite**

**In Partial Fulfillment of the  
Requirements in Applied Research IV**



*Insecticidal potential of psychic nut or  
tubang bakod mixed with hot pepper extract  
635.4 P41 1998  
R-290*

**MICHAEL T. PERIDO  
APRIL 1998**

## ABSTRACT

**PERIDO, MICHAEL T.** , Applied Research IV, General Science Curriculum, Cavite State University, Indang, Cavite."INSECTICIDAL POTENTIAL OF PSYCHIC NUT(*Jatropha curcas* L.)OR TUBANG-BAKOD MIXED WITH HOT PEPPER EXTRACT ON PECHAY"

ADVISER: Josefino A.Viado

The study entitled" Insecticidal Potential of Psychic Nut (*Jatropha curcas* L ) or tubang bakod mixed with Hot pepper extract on Pechay, was conducted on the backyard of the author's house.This study aimed to prove that this kind of plant has a potential to become an insecticide and prevent the damages done by the insects to the vegetable plant.

An area of 48 sq m area was used in this study. It was hoed and pulverized. The plots were maintained in order to be free from weeds and help the proper growth of the plants. RANDOMIZED COMPLETE BLOCK DESIGN was used in this study. Results showed that the plants applied with T<sub>1</sub> gave the highest result in terms of its average height and average weight. Plants applied with T<sub>3</sub> gave also the best result in terms of its percentage affected and percentage of plants survive.

## TABLE OF CONTENTS

CONTENTS	PAGE
Biographical sketch .....	viii
Acknowledgment .....	ix
Abstract .....	xii
INTRODUCTION .....	1
Statement of the problem .....	2
Objectives of the study .....	3
Time and place of the study .....	3
REVIEW OF RELATED LITERATURE .....	4
METHODOLOGY .....	10
Materials .....	10
Methods .....	10
Land preparation .....	10
Sowing of plants .....	11
Care of the seedlings .....	11
Hardening .....	11
Transplanting .....	11
Care and management .....	12
Cultivation and weeding .....	13
Fertilization .....	13
Gathering of tubang-bakod leaves and hot pepper fruit and extracting .....	13
Applying the solution on pechay .....	13
Harvesting .....	14

Experimental design .....	14
Data gathering .....	15
GENERAL OBSERVATION .....	16
DISCUSSION OF RESULTS .....	17
Average height of plants .....	17
Average weight of plants .....	20
Percentage of affected plants .....	23
Percentage of plants survival .....	26
SUMMARY, CONCLUSION AND RECOMMENDATION .....	29
Summary .....	29
Conclusion .....	30
Recommendation .....	30
LITERATURE CITED .....	31
PLATES .....	32

## LIST OF FIGURES

FIGURES		PAGE
1	AVERAGE HEIGHT OF PLANTS	18
2	AVERAGE WEIGHT OF PLANTS	21
3	PERCENTAGE OF AFFECTED PLANTS	24
4	PERCENTAGE OF PLANTS SURVIVAL	27

## LIST OF TABLES

TABLE	PAGE
1 AVERAGE HEIGHT OF PLANTS	19
1.a ANALYSIS OF VARIANCE FOR TABLE 1	19
2 AVERAGE WEIGHT OF PLANTS	22
2.a ANALYSIS OF VARIANCE FOR TABLE 2	22
3 PERCENTAGE OF AFFECTED PLANTS	25
3.a ANALYSIS OF VARIANCE FOR TABLE 3	25
4 PERCENTAGE OF PLANTS SURVIVAL	28
4.a ANALYSIS OF VARIANCE FOR TABLE 4	28

## LIST OF PLATES

PLATES	PAGE
1 Sample of pechay plants in treatment 0(control)	33
2 Sample of pechay plants in treatment 1	34
3 Sample of pechay plants in treatment 2	35
4 Sample of pechay plants in treatment 3	36
5 Insecticidal solution used in this study	37
6 Sample of harvested pechay plants in treatment 1, 2, and 3	38



**INSECTICIDAL POTENTIAL OF PSYCHIC NUT (Jatropha  
Curcas L.) or TUBANG - BAKOD MIXED WITH HOT PEPPER  
(Capsicum Annum L.)  
EXTRACT ON PECHAY**

BY

**MICHAEL T. PERIDO**

---

This research study is presented to the Faculty of the Laboratory School, College of Education of the Cavite State University, Indang, Cavite in partial fulfillment of the requirements in Applied Research under the supervision of Prof. Josefino A. Viado.

---

**INTRODUCTION**

Insecticides are substances or solutions used in killing insects. Insecticides are classified into two kinds, one is the ORGANIC INSECTICIDES that are formulated in factories and when used may cause the disturbance of the environment, pest resurgence, pest resistance to insecticides and lethal effects on non-target organisms. The other one is the BOTANICAL INSECTICIDES which are environmental friendly and do not cause disturbance to the environment. In using botanical insecticides, the plant part used for bio-assay are leaves, flowers, roots, stem, vine, bark, peelings, seeds and bulbs, whole plant is partly used.