ANTBACTERIAL ACTIVITY AND PHYTOCHEMICAL ANALYSIS OF FORMULATED COFFEE BASED BEVERAGE SUPPLEMENTED WITH LEMONGRASS AND HOMEY

THESIS

JANWYNDELL STYPHEN M. BUGARIN

College of Arts and Sciences

CAVITE STATE UNIVERSITY

Indang, Cavite

June 2019

ANTIBACTERIAL ACTIVITY AND PHYTOCHEMICAL ANALYSIS OF FORMULATED COFFEE-BASED BEVERAGE SUPPLEMENTED WITH LEMONGRASS AND HONEY

Undergraduate Thesis
Submitted to the Faculty of the
College of Arts and Sciences,
Cavite State University,
Indang, Cavite

In partial fulfillment of the requirements for the degree Bachelor of Science in Biology



JANWYNDELL STYPHEN M. BUGARIN
June 2019

ABSTRACT

BUGARIN, JANWYNDELL STYPHEN M. Antibacterial Activity and Phytochemical Analysis of Formulated Coffee-based Beverage Supplemented with Lemongrass and Honey. Undergraduate Thesis. Bachelor of Science in Biology. Cavite State University, Indang, Cavite. May 2019. Adviser. Michele T. Bono, MBio.

Coffee has been consumed by most people as beverage. This allowed some scientific researches to find organic products which can supplement the said beverage, providing new flavors. Hence, the study aimed to formulate a coffee-based beverage supplemented with lemongrass and honey, and further assess its antibacterial and phytochemical activity.

Seven formulations of coffee-based beverages were made using different concentrations of coffee, lemongrass, and honey. These formulations were subjected into sensory evaluation to determine the top three most acceptable formulations. Antibacterial activity of the three formulations was assessed as well as the aqueous and ethanolic extracts of the organic products used. Phytochemical analysis was also conducted in the extracts of the organic products used.

Treatments 1, 5, and 7 were the three most accepted beverages based from the sensory evaluation. The treatments, as well as the extracts of the organic products used, possess antibacterial activity against *Staphylococcus aureus*, *Pseudomonas aeruginosa*, *Escherichia coli*, *Salmonella typhimurium*, *Bacillus subtilis*, and *Enterococcus faecalis*. Phytochemicals such as carbohydrates, tannins, saponins, alkaloids, cardiac glycosides, flavonoids, terpenoids, and steroids, were also identified from the extracts used which has a beneficial role in regards with the antibacterial activity of the extracts and the formulations.

TABLE OF CONTENTS

	Page
BIOGRAPHICAL DATA	
ACKNOWLEDGEMENT	iv
ABSTRACT	vi
LIST OF TABLES	x
LIST OF FIGURES	хi
LIST OF APPENDIX TABLES	xiii
LIST OF APPENDIX FIGURES	xiv
LIST OF APPENDICES	xv
INTRODUCTION	
Objectives of the Study	3
Significance of the Study	3
Scope and Limitations of the Study	4
Time and Place of the Study	4
Conceptual Framework	5
REVIEW OF RELATED LITERATURE	6
Coffee	6
Aguinaldo Blend Coffee	7
Honey	8
Lemongrass	10
Alternative Antibiotic Agents	11

Herbal Medicines and Plant Based Materials	12
Pathogenic Microorganisms	12
Test Organisms	13
Phytochemicals	17
METHODOLOGY	19
Collection And Preparation of Samples	19
Formulation of the Coffee-Based Beverage	19
Sensory Evaluation	20
Preparation of Coffee Extracts	21
Preparation of Lemongrass Extracts	21
Preparation of Honey Extracts	22
Test Organisms	22
Preparation and Standardization of Bacterial Inocula	23
Antibacterial Activities of the Formulated Beverage and the Extracts	23
Phytochemical Analysis of Coffee, Honey, and Lemongrass Extracts	25
Statistical Analysis	26
RESULTS AND DISCUSSION	27
Sensory Properties of Coffee-Based Beverages Supplemented with Lemongrass and Honey	27
Antibacterial Activity of the Aqueous and Ethanolic Extracts of the Samples	29
Antibacterial Activity of the Top Three Formulations of Coffee-Based Beverage	37
Phytochemical Screening of Aqueous and Ethanolic Extract of Coffee, Lemongrass, and Honey	43

SUMMARY, CONCLUSION AND RECOMMENDATION	
Summary	46
Conclusion	47
Recommendation	48
REFERENCES	49
APPENDIX TABLES	65
APPENDIX FIGURES	70
APPENDICES	77

LIST OF TABLES

Table		Page
1	Different measurements of coffee, lemongrass, and honey that was used in the formulation of the beverage	
	in 500ml water	20
2	Sensory Properties of 8 different formulations of coffee	
	-based beverage supplemented with lemongrass and honey	28
	and noney	20
3	Mean zones of inhibition of extracts of coffee, lemongrass,	
	and honey, and the top three formulations against	20
	test organisms	30
4	Preliminary phytochemical screening of coffee,	
	lemongrass, and honey extracts	45

LIST OF FIGURES

Figure		Page
1	Conceptual Framework of the Study	5
2	Set-Up for Determining the Inhibitory Activity of the Formulations Together with Positive and Negative Controls Against the Test Organisms.	24
3	Set-Up for Determining the Inhibitory Activity of Coffee, Lemongrass, and Honey Extracts with Positive and Negative Controls Against the Test Organisms.	25
4	Zone of Inhibitions Exhibited by Aqueous Coffee and Aqueous Lemongrass Extract Against Staphylococcus aureus	31
5	Zone Of Inhibitions Exhibited By Aqueous Coffee And Aqueous Lemongrass Extract Against Salmonella typhimurium	32
6	Zone Of Inhibitions Exhibited By Raw Honey Against Staphylococcus aureus	36
7	Zone of Inhibitions Exhibited by Raw Honey Against Salmonella typhimurium	37
8	Zone of Inhibitions Exhibited by the Formulated Coffee-Based Beverages Against Staphylococcus aureus	38
9	Zone of Inhibition Exhibited by the Formulated Coffee-Based Beverages Against Salmonella typhimurium	39
10	Zone of Inhibition Exhibited by the Formulated Coffee-Based Beverages Against Escherichia coli	40
		40

		Page
11	Zone of Inhibition Exhibited by the Formulated Coffee-Based Beverages Against	
	Enterococcus faecalis	41
12	Zone of Inhibition Exhibited by the Formulated Coffee-Based Beverages against	
	Bacillus subtilis	40
13	Zone Of Inhibition Exhibited by the Formulated	
	Coffee-Based Beverages Against	
	Pseudomonas aeruginosa	42

LIST OF APPENDIX TABLES

Appendix Table		Page
1	Analysis of Variance for different bacteria	66
2	Statistical analysis of sensory evaluation	68

LIST OF APPENDIX FIGURES

Appendix Figure		Page
1	Samples of Sensory Evaluation Sheets	71
2	Phytochemical analysis, Test for carbohydrates	72
3	Phytochemical analysis, Test for tannins	73
4	Phytochemical analysis, Test for saponins	74
5	Gathering and Preparation of Samples For Extraction	75
6	Extraction of Samples	76

LIST OF APPENDICES

Appendix		Page
1	Sensory evaluation sheet	78
2	Certification from the Statistician	80
3	Certification from the English Critic	82
4	Ethics Review Board certification	84
5	Routing slip	86
6	Curriculum Vitae	88

ANTIBACTERIAL ACTIVITY AND PHYTOCHEMICAL ANALYSIS OF FORMULATED COFFEE-BASED BEVERAGE SUPLEMENTED WITH LEMONGRASS AND HONEY

Janwyndell Styphen M. Bugarin

An undergraduate thesis manuscript submitted to the faculty of the Department of Biological Sciences, College of Arts and Sciences, Cavite State University, Indang, Cavite in partial fulfilment of the requirements for the degree of Bachelor of Science in Biology with Contribution No.<u>T-CAS-2019-B005</u>. Prepared under the supervision and guidance of Professor Michele T. Bono.

INTRODUCTION

Many organic materials such as plant based products and beverages that are available nowadays, have been tested for antimicrobial activity. One of these products is coffee. Coffee is one of the most popular and widely consumed beverages throughout the world due to its pleasant taste and aroma as well as its stimulant effect (Almeida *et al.*, 2006). In addition, it is recently discovered that a number of beneficial health properties have been attributed to coffee (Yen *et al.*, 2005; and Farah and Donangelo, 2006), including antibacterial activity. Coffee exhibits components such as caffeine, volatile and non-volatile organic acids, phenols and aromatic compounds which are known to have antimicrobial activity (Fardiaz, 1999) against *Staphylococcus aureus*, *Enterococcus faecalis*, *Pseudomonas aeruginosa*, and *Escherichia coli* (Almeida *et al.*, 2006; Monente *et al.*, 2015; and Runti *et al.*, 2015).

Coffee's bitter taste compels most people to add sweeteners to it. Honey, one of the most common sweeteners for coffee, is being used as an alternative instead of normal