

635.6596

M 72

1982

APPLICATION OF COMPLETE FERTILIZER
TO PEANUT

FARM PRACTICE

Redencion M. Mojica

Don Severino Agricultural College

Indang, Cavite

April, 1982

~~✓~~ APPLICATION OF COMPLETE FERTILIZER
TO PEANUT

A Farm Practice Report
Presented to the Faculty of the
Don Severino Agricultural College
Indang, Cavite

In Partial Fulfillment of the Requirements
for Graduation with the degree of
Bachelor of Science in Agriculture
(Major in Agronomy)

by
Redencion M. Mojica
April, 1982

ABSTRACT

The project aimed to determine the utilization of small area for acquiring better income through the application of complete fertilizer on the growth and yield of peanut. It was conducted from October 4, 1981 to February 15, 1982 at Limbon, Indang, Cavite.

The entire field of 9,000 square meters was used in the project. The field layout was prepared thoroughly by the use of animal-drawn implements. Planting was done on October 4, 1981. Three seeds were planted in each hill 25 centimeters apart in the rows and covered with fine soil.

Germination of seeds take place four to six days after planting and followed by hilling-up cultivation to provide soil aeration and hasten root formation of peanut. All the fertilizer was applied in the bottom of the furrows basally.

The flowering of the plants was first noticed after 28 days and the plant matured after 90 days.

There were no pest and diseases that attacked the plants.

Harvesting was done 120 days after planting.

TABLE OF CONTENTS

	Page
BIOGRAPHICAL DATA	iii
ACKNOWLEDGMENT	iv
ABSTRACT	v
INTRODUCTION	1
Importance of the Project	2
Objectives of the Project	2
Scope and Limitation	3
Time Frame and Site of the Project	3
REVIEW OF RELATED LITERATURE	4
METHODOLOGY	5
Materials	5
Methods	5
Objectives of Training	6
DISCUSSION AND ANALYSIS	11
SUMMARY, CONCLUSION AND RECOMMENDATION	13
BIBLIOGRAPHY	15