RECYCLED MYLOR FISHING KET AS FISER RESPRONCEMENT IN CONCRETE MAKING

THESIS

BRYAN CHRISTIAN H. MENDOZA MIKA ELLA S. MERCADO

College of Engineering and Information Technically
CAVITE STATE UNIVERSITY
Indang: Cavita

RECYCLED NYLON FISHING NET AS FIBER REINFORCEMENT IN CONCRETE MAKING

Undergraduate Thesis
Submitted to the Faculty of the
College of Engineering and Information Technology
Cavite State University
Indang, Cavite

In partial fulfillment of the requirements for the degree Bachelor of Science in Civil Engineering



Recycled nylon fishing net as fiber reinforcement in concrete making 628.445 M52 2019 T.R611

BRYAN CHRISTIAN H. MENDOZA MIKA ELLA S. MERCADO

June 2019

ABSTRACT

MENDOZA, BRYAN CHRISTIAN H. and MERCADO, MIKA ELLA S. Recycled Nylon Fishing Net as Fiber Reinforcement in Concrete Making. Undergraduate Thesis. Bachelor of Science in Civil Engineering. Cavite State University, Indang, Cavite. June 2019. Adviser: Engr. Cene M. Bago.

Nylon fibers are considered as fiber reinforcement in concrete making. Recycled nylon fishing net fibers were used in this study. Old and waste nylon fishing nets can cause pollution and can affect the marine species because of its slow degradation. The best way to address such problems is to develop the usage of old nylon fishing nets as a resource material. This study has the main objective to determine the effect of using recycled nylon fishing net fibers as fiber reinforcement on the compressive and flexural strength of the concrete.

The highest tensile strength of a recycled nylon fiber was observed from a 0.40 mm diameter nylon fishing net strand which held 213 8.67grams before rupture. Freshly mixed concrete with more recycled nylon fishing net fibers was less workable. Three treatments were conducted (0%, 1% and 2%) and the results revealed that as the amount of the recycled nylon fishing net fibers increases, the compressive and flexural strength also increases. The use of recycled nylon fishing net fibers as fiber reinforcement in concrete making is effective and economical.

After the study was conducted the researchers was recommend to; utilize and evaluate the effect of recycled nylon fishing net on different structural materials like bricks, CHB etc.; determine and evaluate the cracking control characteristics of the recycled nylon fishing net reinforced concrete; conduct a study utilizing varying percentage in mixture higher than 2 percent and find the peak percentage of recycled nylon fishing net.

TABLE OF CONTENTS

Page
APPROVAL SHEETii
BIOGRAPHICAL DATAiii
ACKNOWLEDGMENTv
PERSONAL ACKNOWLEDGMENTvii
ABSTRACTxi
LIST OF TABLESxv
LIST OF FIGURESxvii
LIST OF APPENDIX TABLES xviii
LIST OF APPENDIX FIGURESxx
LIST OF APPENDICESxxii
INTRODUCTION1
Statement of the Problem
Objectives of the Study
Significance of the study4
Scope and Limitations of the Study5
Time and Place of the Study5
Definition of Terms6
REVIEW OF RELATED LITERATURE8
METHODOLOGY28
Collection of Data 28
Materials and Apparatus28

Preparation of Recycled Nylon Fishing Net Fibers	29
Tensile Strength Test for Nylon Fiber	29
Preparation of Samples	30
Proportion of Concrete Mixture	31
Mixing Concrete	31
Slump Test	32
Preparation of Beam and Cylindrical Molds	33
Casting Cylinders	33
Casting Beams	34
Curing of Concrete.	35
Test on Hardened Concrete	35
Experimental Results	37
Statistical Design	37
Cost Analysis	38
RESULTS AND DISCUSSION	39
Gathering of Data	39
Collection and Preparation of Nylon Fishing Net Waste	39
Tensile Strength Test for Recycled Nylon Fishing Net Fibers	40
Unit Weight of Aggregates	41
Weight of Hardened Concrete Specimens	42
Water Cement Ratio	43
Slump Test	44
Compressive Strength of the Cylinders	45

7 th Day Compressive Strength Test	46
14 th Day Compressive Strength Test	46
28th Day Compressive Strength Test	47
Flexural Strength Test of the Beams.	49
7 th Day Flexural Strength	49
28th Day Flexural Strength	50
Statistical Design	52
Cost Analysis	53
SUMMARY, CONCLUSION AND RECOMMENDATIONS	56
Summary	56
Conclusion	58
Recommendation	59
REFERENCES	60
APPENDICES	62

LIST OF TABLES

Гable	P	age
1	Concrete proportion	13
2	Maximum permissible water-cement ratio for concrete	18
3	Recommended slumps for various types of construction	19
4	Proportioning of concrete mixture per treatment of cylinder	. 31
5	Proportioning of concrete mixture per treatment of beam	. 31
6	Weight of coins use in tensile strength conducted on four different diameter of new nylon fishing net	. 40
7	Weight of coins use in tensile strength conducted on four different diameter of recycled nylon fishing net	. 41
8	Loose weight of aggregates	. 41
. 9	Compact weight of aggregates	. 42
10	Unit weight of aggregates	. 42
11	Average weight of concrete beam specimens	. 42
12	Average weight of concrete cylinder specimens	. 42
13	Water-cement ratio for cylinders	. 43
14	Water-cement ratio for beams	. 43
15	Slump of cylindrical and beam specimens with different proportions of nylon fibers	44
16	Compressive strength of cylinders on the 7 th curing day	46
17	Compressive strength of cylinders on the 14th curing day	47
18	Compressive strength of cylinders on the 28th curing day	47
19	Average compressive strength of cylindrical specimen at 7, 14, and 28 days curing	48

20	Flexural strength of beams on the 7 th curing day	50
21	Flexural strength of beams on the 28th curing day	50
22	Average flexural strength of beam specimens at 7 and 28 days curing	51
23	Comparison of means of compressive strength of concrete cylinders after 7, 14, and 28 days of curing	52
24	Comparison of means of flexural strength of concrete beams after 7 and 28 days of curing	53
25	Production cost of concrete cylinders for each treatment	54
26	Production cost of concrete beams for each treatment	54
27	Production cost of concrete per cubic meter.	55

LIST OF FIGURES

Figure		Page
1	Failure mechanism and the effect of fibers	11
2	Different types of slump	20
3	Slump diagram	45
4	Compressive strength of cylinders at 7 th , 14 th and 28 th curing day	48
5	Flexural strength of beams at 7 th and 28 th curing day	51

LIST OF APPENDIX TABLES

Appendix Table		Page
1	Concrete proportion	64
2	Maximum permissible water-cement ratio for concrete	64
3	Recommended slumps for various types of construction	64
4	Proportioning of concrete mixture per treatment of cylinder	64
5	Proportioning of concrete mixture per treatment of beam	65
6	Weight of coins use in tensile strength conducted on	
	four different diameter of new nylon fishing net	65
7	Weight of coins use in tensile strength conducted	
	on four different diameter of old nylon fishing net	65
8	Loose weight of aggregates	65
9	Compact weight of aggregates	66
10	Unit weight of aggregates	66
11	Average weight of concrete beam specimens	66
12	Average weight of concrete cylinder specimens	66
13	Water-cement ratio for cylinders	66
14	Water-cement ratio for beams	67
15	Slump of cylindrical and beam specimens with	
	different proportions of nylon fibers	67
16	Compressive strength of cylinders on the 7th curing day	67
17	Compressive strength of cylinders on the 14th curing day	

18	Compressive strength of cylinders on the 28 th curing day	68
19	Average compressive strength of cylindrical specimen	
	at 7, 14 and 28 days during	68
20	Flexural strength of beams on the 7 th curing day	68
21	Flexural strength of beams on the 28th curing day	69
22	Average flexural strength of beam specimens at 7 and 28 days curing	69
23	Comparison of means of compressive strength of	
	concrete cylinders after 7, 14, and 28 days of curing	69
24	Comparison of means of flexural strength of concrete	
	beams after 7 and 28 days of curing	70
25	Production cost of concrete cylinders for each treatment	70
26	Production cost of concrete beams for each treatment	70
27	Production cost of concrete per cubic meter.	70

LIST OF APPENDIX FIGURES

Append Figur		Page
1	Failure mechanism and the effect of fibers	72
2	Different types of slump	72
3	Collection of waste nylon fishing nets	72
4	Total collected waste nylon fishing net for the study	73
5	Segregating, picking and cutting of the selected nylon fishing nets	73
6	Cutting of the nylon fishing nets to desired length	74
7	Preparation and making of the molds	74
8	Preparation of the aggregates	74
9	Compact weight determination of the aggregates	75
10	Loose weight determination of the aggregates	75
11	Portioning of the materials for the concrete making	75
12	Portioning of the nylon fibers according to weight	76
13	Preparation and labeling of the molds	76
14	Mixing of concrete for treatment 1	77
15	Getting and measuring the slump of concrete for treatment 1	77
16	Pouring the concrete mixture in the molds	78
17	Mixing of concrete for treatment 2	78
18	Measuring the slump of concrete mixture for treatment 2	78
19	Pouring the concrete mixture in molds for treatment 2	79
20	Preparing and pouring the concrete mixture for treatment 3	7 9
21	Slump Diagram	70

22	Drying of the specimens for 24 hours	80
23	Removing the concrete from the molds	80
24	Curing of the concrete samples.	80
25	Draining and drying of the concrete samples	. 81
26	Weighing of the concrete samples	. 81
27	Testing of the concrete samples during its 7 th day curing	. 81
28	Concrete cylinder and beam samples after the tests	. 82
29	Testing of the 14 days concrete cylinder samples	. 82
30	14 days old concrete cylinders after the tests	. 82
31	Drying of the 28 days old concrete samples	. 83
32	Testing of the last batch of concrete samples	. 83
33	28 th day concrete samples after the tests	. 84
34	Compressive strength of cylinder samples during 7, 14 and 28 days curing.	. 84
35	Flexural strength of beam samples during 7 and 28 days curing	. 85
36	Tensile strength test of the nylon fibers using coin test	. 85

LIST OF APPENDICES

Appendix		Page
1	Appendix Tables	63
2	Appendix Figures	71
3	Computations	86
4	Test Results	123
5	Forms	130

RECYCLED NYLON FISHING NET AS FIBER REINFORCEMENT IN CONCRETE MAKING

Bryan Christian H. Mendoza Mika Ella S. Mercado

An undergraduate thesis manuscript submitted to the faculty of the Department of Civil Engineering, College of Engineering and Information Technology, Cavite State University, Indang, Cavite, in partial fulfilment of the requirements for the degree of Bachelor of Science in Civil Engineering with Contribution No. CEIT 2018-19-2-163. Prepared under the supervision of Engr. Cene M. Bago.

INTRODUCTION

The erroneous disposal of any material and equipment use in fishing can contribute to various environmental problems like coral destructions and water pollution. This improper disposal can also be deadly for a variety of deep-sea creatures. One of the materials that can cause problems is the waste nylon fishing nets.

In coastal areas, the main source of income is fishing. Fishing net is one of the factors that should be considered in having a good income in fishing boat business. As time passed by, the fishing net becomes weak, brittle and not usable in fishing anymore. The waste fishing nets are sometimes used as fencing material and in other related uses but sometimes it's just a waste that can affect people, the environment and marine lives.

Nylon fishing net presents a growing waste management challenge and when managed poorly contributes to the accumulation of waste plastics in the marine environment. Fishermen sometimes abandon worn-out nets because it is often the easiest