EGGSHELLS AND CRABSHELLS AS COMPONENTS IN MAKING GARDEN POTS

Research Study

JAN ARVIE G. ERSANDO LANCE RAFAEL R. JIMENEZ JAN PIOLO L. MOJICA

Science High School

CAVITE STATE UNIVERSITY

Indang, Cavite

Cavite State University (Main Library)

RS788

RS 666 Er8 2017

May 2017

EGGSHELLS AND CRABSHELLS AS COMPONENTS IN MAKING GARDEN POTS

A Research Study
Submitted to the Faculty of the
Science High School, College of Education
Cavite State University
Indang, Cavite

In partial fulfillment of the requirements for graduation



Eggshells and crabs shells as components in making garden pots 666 Er8 2017 RS-788

JAN ARVIE G. ERSANDO LANCE RAFAEL R. JIMENEZ JAN PIOLO L. MOJICA

May 2017

ABSTRACT

ERSANDO, JAN ARVIE G., JIMENEZ, LANCE RAFAEL J. and MOJICA JAN PIOLO L. Eggshells and Crabshells as Components in Making Garden Pots. Research Study (General Science Curriculum), Science High School, College of Education, Cavite State University, Indang, Cavite. May 2017. Adviser: Engr. Larry E. Rocela

The study entitled "Eggshells and Crab Shells as Components in Making Garden Pots" was conducted in Brgy. Palahanan II, San Juan, Batangas from February 2017 to March 2017 and tested in ASTEC Materials Testing Corporation, Brgy. Sampaloc-1, Pala Pala, Dasmariñas, Cavite on March 13, 2017. This study aimed to produce garden pots with eggshells and crab shells as components, to evaluate the physical properties such as weight, texture, color, thickness and breaking strength, to determine the best treatment for making pots and to determine the cost of production of the pots produced.

The sensory evaluation revealed that Treatment 3 (40 percent of Red clay, 10 percent of Chinese ball clay, 10 percent of Feldspar, 20 percent of Silica and 20 percent powdered eggshells) was the most acceptable in terms of color, Treatment 3 (40 percent of Red clay, 10 percent of Chinese ball clay, 10 percent of Feldspar, 20 percent of Silica and 20 percent of powdered eggshells) in terms of texture and Treatment 6 (40 percent of Red clay, 10 percent of Chinese ball clay, 20 percent of Feldspar, 20 percent of Silica and 10 percent powdered crab shells) in terms of level of acceptability.

The weight of the produced pots ranged from 672.07g to 775.33g and the thickness ranged from 10.01mm to 10.37mm. The breaking strength score ranged from 0.04MPa to 0.12MPa while the cost of production ranged from Php 12.80 to Php 16.80.

The study shows that the powdered eggshells and powdered crab shells can be used as one of the components in the production of garden pots.

TABLE OF CONTENTS

Page
BIOGRAPHICAL DATAiii
ACKNOWLEDGEMENTv
ABSTRACTvii
LIST OF TABLESxi
LIST OF APPENDIX TABLESxii
LIST OF APPENDICESxiii
LIST OF PLATESxiv
INTRODUCTION1
Statement of the Problem
Objectives of the Study3
Importance of the Study4
Scope and Limitations of the Study4
Time and Place of the Study4
REVIEW OF RELATED LITERATURE5
METHODOLOGY16
Materials16
Equipment16
Procurement of Materials

Preparations of Eggshells	17
Preparations of Crab Shells	17
Preparations of Chinese Ball Clay	18
Preparations of Red Clay	18
Experimental Design	18
Experimental Layout	19
Production of Garden Pots	20
Evaluation of Samples	20
Data Gathering	21
Statistical Analysis	21
RESULTS AND DISCUSSION	22
SUMMARY, CONCLUSION AND RECOMMENDATIONS	30
Summary	30
Conclusion	31
Recommendations	32
REFERENCES	33
APPENDICES	35

LIST OF TABLES

Fable		Page
1	Compounds that Comprise on Eggshell,	13
2	Crab shells, eggshells, red clay, ball clay, feldspar and silica content of pots	19
3	Mean scores for weight (g) of garden pots	23
4	Mean scores for thickness (mm) of garden pots	25
5	Mean scores for breaking strength (MPa) of garden pots	26
6	Sensory mean scores for color of garden pots	27
7	Sensory mean scores for texture of garden pots	28
8	Sensory mean scores for level of acceptability of garden pots	29
9	Cost of production for each garden pot	30

LIST OF APPENDIX TABLES

Appendix Table		Page
1	Weight (g) of the garden pots	37
2	ANOVA for the weight of garden pots	37
3	Thickness (mm) of the garden pots	38
4	ANOVA for the thickness of garden pots	38
. 5	Breaking strength (MPa) of the garden pots	39
6	ANOVA for the breaking strength of garden pots.	39

LIST OF APPENDICES

Appendix		Page
1	Appendix Tables	36
2	Score Sheets	40
3	Plates	53
4	Compressive Strength Test	67
5	Cost Computation of Production of Garden Pots	71
6	Total Expenditures	75

LIST OF PLATES

Plate		Page
1	Washing of crab shells	54
2	Drying of eggshells	55
3	Drying of crab shells	55
4	Powdered eggshells	56
5	Powdered crab shells	56
6	Mixing of the materials	57
7	Making of garden pots	58
8	Finished products	59
9	Place for curing of garden pots	60
10	Produced garden pots using Treatment 0	61
11	Produced garden pots using Treatment 1	61
12	Produced garden pots using Treatment 2	62
13	Produced garden pots using Treatment 3	62
14	Produced garden pots using Treatment 4	63
15	Produced garden pots using Treatment 5	63
16	Produced garden pots using Treatment 6	64
17	Produced garden pots that were broken	64
18	Weighing of garden pots	65

19	Testing the pots for breaking strength using Universal
	Testing Machine66

EGGSHELLS AND CRABSHELLS AS COMPONENTS IN MAKING GARDEN POTS

Jan Arvie G. Ersando Lance Rafael R. Jimenez Jan Piolo L. Mojica

A research study manuscript submitted to the fact	ulty of S	Science Hig	gh School,	Colleg	e of
Education, Cavite State University Indang,	Cavite	in partia	fulfilme	nt of	the
requirements for graduation with Contribution	No.		Prepared	under	the
supervision of Engr. Larry Rocela.					

INTRODUCTION

Pottery is the ceramic material which makes up pottery wares, of which major types include earthenware, stoneware and porcelain. The place where such wares are made is also called a *pottery* (plural "potteries"). Pottery also refers to the art or craft of a potter or the manufacture of pottery. A dictionary definition is simply objects of fired clays. The definition of *pottery* used by the American Society for Testing and Materials (ASTM) is "all fired ceramic wares that contain clay when formed, except technical, structural, and refractory products.

Most pot sizes are referred to by their volume capacity in liters, with the exception of pots that are smaller than 1 Liter which are usually referred to by the diameter of the top of the pot. The common size of pot is 5 liters. The diameter of top is 9